

**Colors & coatings**



## POLYESTER

Polyester coating is the base coating suitable for most exterior applications in non-aggressive environments.

- Good corrosion resistance
- Thermosetting coating
- Structure: 5 micron base coat + 20 micron top coat

### Polyester 25 µ in 0,5/0,6 mm



RAL 1015



RAL 5008



RAL 5010



RAL 6005



RAL 6009




RAL 6011



RAL 6020



RAL 7012



RAL 7016



RAL 7022



RAL 8004




RAL 8011




RAL 8012



RAL 8014



RAL 8019



RAL 9002




RAL 9005



RAL 9006



RAL 9007



RAL 9010


### Polyester 25 µ in 0,75 mm



RAL 7016




RAL 8012



RAL 9002



RAL 9006




RAL 9010

## REXPUR 60 µ in 0,5/0,6 mm

REXPUR is characterized by more excellent color stability. This is mainly used in more severe environments


- Excellent corrosion resistance
- Thermosetting paint
- Very good UV resistance
- Structure: 25 micron base coat + 35 micron top coat



RAL 7016



RAL 8012



RAL 9002




RAL 9005



RAL 9006




RAL 9007




RAL 9010

## Plastisol 200 µ in 0,5/0,6 mm

Plastisol offers excellent resistance to corrosion due to its thick lacquer layer. This lacquer layer protects the steel from abrasive effects and is scratch-resistant. Plastisol offers an excellent answer for industrial applications.




ANTRACIET




DONKERGROEN




JUNIPER GROEN




GOOSEWINGGRIJS




MERLIN GRIJS




VAN DIJCK BRUIN



ZWART



HAMLET



RAL 9010 WIT




TERRACOTTA

## Foodsafe 150 µ in 0,5/0,6 mm

This coating meets hygiene requirements and can be used in the food industry such as in production areas for processing areas for meat and fish and in cold storage for fruit and vegetables.


- High resistance to chemicals and cleaning agents
- Excellent resistance to wear and scratches



RAL 9010

### SPECIALS 35 $\mu$ in 0,5mm

Colorfarm is developed for applications in rural areas where it offers high resistance to ammonia and fertilizers.



COLORFARM



HOUT GOLDEN OAK

### Coatings outer sheet

	Coatings ( $\mu$ )	Categorie UV	Type Corrosion
Polyester	25	RUV 2	RC 3
REXPUR	60	RUV 4	RC 5
Plastisol 200	200	RUV 4	RC 5



**LOCATIE 1**

Z.I. Tournai Ouest  
Rue du mont des Carliers 4  
7522 Blandain  
VAT BE 0473.823.026

**LOCATIE 2**

Z.I. Tournai Ouest  
Rue du Grand Carex 7  
7503 Froyennes  
VAT BE 0473.823.026

**CONTACT**

T: +32 69 44 66 80  
F: +32 69 44 66 81  
E: [info@rexpanels.com](mailto:info@rexpanels.com)